

12U 36in Knock-Down Server Rack Cabinet with Casters

StarTech ID: RK1236BKF



The RK1236BKF 12U 36in Knock-Down Server Rack/Cabinet (with Casters) features a vented acrylic front door and mesh rear door, to provide devices stored in the cabinet with cost-effective passive cooling as well as offer security for your valuable equipment.

Supporting a total load capacity of 800 kg (1760 lbs), the server rack is constructed of steel and aluminum to ensure a sturdy platform for valuable server/networking equipment. The included casters make this product a flexible rack solution for any IT environment or server closet, by making it easier to position the rack in the ideal location.

The rack is easy to assemble at the point of installation for rapid deployment and features a flat-packed design that helps to minimize shipping costs.

Backed by a StarTech.com Lifetime warranty.

Applications

- Perfect solution for Technology shops and repair centers with limited space and mountable equipment where security is required
- Ideal for rack mount servers, KVM switches, networking equipment and cabinet consoles
- Audio/Video editing room, radio or television studio broadcast rackmount equipment
- A great solution for the college/university classroom, where only limited rackmount equipment is needed, but security is still important

Features

- Includes casters and stabilizer feet
- Flat packed into a single carton for easy shipping
- Vented front / rear doors, and solid side panels
- Adjustable mounting rails
- Quick and easy to assemble

Technical Specifications

Warranty	Lifetime
Back Door Type	Steel Mesh
Casters	Included
Fan(s)	No
Frame Type	Enclosed Cabinet
Front Door Type	Steel w/ Window
Industry Standards	DIN41491 Part I
Industry Standards	EIA RS310-D
Industry Standards	IEC297-2
Key Lock	Yes
Rack Type	4-Post
Side Panel Type	Solid Steel
U Height	12U
Wallmountable	No
Weight Capacity	1768 lb [800 kg]
Color	Black
Enclosure Type	Aluminum and Steel
External Depth	35.4 in [900 mm]
External Height	26.1 in [663 mm]
External Width	23.6 in [600 mm]
Height with Casters	29.5 in [749.3 mm]
Internal Width	18.3 in [465 mm]
Maximum Mounting Depth	29.5 in [750 mm]
Minimum Mounting Depth	5.9 in [150 mm]
Product Weight	64.8 lb [29.3 kg]
Flat Pack	Yes
Shipping (Package) Weight	71.4 lb [32.3 kg]
Included in Package	3 - Bottom Panel
Included in Package	2 - Side Panel and Frame
Included in Package	1 - Top Panel
Included in Package	4 - Cross Brace
Included in Package	8 - Plastic Corner Caps
Included in Package	4 - Casters

Included in Package	2 - Sets of Keys
Included in Package	4 - Adjustable Feet
Included in Package	1 - Assembly Screw Kit
Included in Package	1 - Bag M6 Cab Screws and Nuts
Included in Package	2 - Allen Wrench

Certifications, Reports and Compatibility

