

Cat6 Patch Cable with Snagless RJ45 Connectors - 3m, White

StarTech ID: N6PATC3MWH



The N6PATC3MWH Cat 6 Patch Cable (3m) meets or exceeds all Category 6 cable specifications to ensure reliable Gigabit network connections, and features a durable white PVC jacket that enables you to color code your network cable runs as needed.

To ensure long-lasting performance, this high quality Cat 6 patch cable features a snagless design that protects the RJ45 connector clips from damage and makes the cable less prone to snagging during installation. The cable also features molded PVC strain relief that prevents the RJ45 connector termination points from bending at sharp angles, reducing the risk of cable failure.

Constructed of only top quality materials, this Cat 6 Patch Cord delivers reliable performance and is backed by our Lifetime Warranty.

100% copper for outstanding value

Get the highest value for your cable investment with our Cat 6 cables, each one manufactured using high-quality copper conductors.

24-gauge wire for high-performance network connection

Ensure high-performance capability for your demanding Ethernet applications, such as Power-over-Ethernet, using cables that include 24 AWG copper.

50-micron gold connectors provide peak conductivity

Rely on our RJ45 connectors to deliver optimum conductivity while eliminating signal loss due to oxidation or corrosion.



Applications

- Connecting PoE-enabled devices to Gigabit networks
- Patch connections from network hub to distribution panel
- Connects workstation to RJ45 wall outlet
- Deliver data, voice and video over Gigabit networks

Features

- Molded RJ45 connectors
- Carefully constructed and tested, to keep Near End Crosstalk (NEXT) and Return Loss well within acceptable limits
- · Colored hoods for departmental color coding
- High quality 24 AWG copper wire
- ETL Verified
- Rated performance for up to 500Mhz





Technical Specifications

Warranty Lifetime

Cable Jacket Type PVC - Polyvinyl Chloride

Cable Type Snag-less

Connector Plating Gold

Fire Rating CMG Rated (General Purpose)

Number of Conductors 4 pair UTP

Wiring Standard TIA/EIA-568-B.1-2001 T568B

Cable Rating CAT6 - 500 MHz
Connector A 1 - RJ-45 Male
Connector B 1 - RJ-45 Male
Cable Length 9.8 ft [3 m]

Color White

Product Length 9.8 ft [3 m]
Product Weight 4.4 oz [126 g]

Wire Gauge 24 AWG

Package Quantity 1

Shipping (Package) Weight 4.8 oz [135 g]

Included in Package 1 - 3m White Snagless Cat6 UTP Patch Cable - ETL Verified

Certifications, Reports and Compatibility



