

Portable Server Rack with Handles - 9U

StarTech ID: RK960CP



This 9U portable server rack lets you store your server, network and telecommunications equipment in a sturdy mobile rack that has a fixed depth of 23 inches.

Portable design

With built-in handles and four swiveling casters, this mobile rack is easy to transport around your server room, office or studio. Its increased mobility makes this cabinet the ideal solution for telecommunication racks that need to interface with different equipment around your workspace.

Durable construction

The server rack features heavy-gauge mounting rails to ensure a stable installation platform. This durable 4-post rack supports a static loading capacity of up to 1200 lb. (544 kg), and is compliant with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 41494), providing a universal design that's compatible with most rack equipment.

Fast assembly

Save time and hassle with a rack that's easy to put together. With its easy four-step assembly process, you can set this portable rack up in minutes.

The RK960CP is backed by a 2-year StarTech.com warranty and free lifetime technical support.

Applications

- Create a portable video editing and production rack that you can move around your studio to interface with different equipment
- Store this mobile rack beneath a table or bench in small offices or workspaces
- Mount equipment in technology shops and repair centers where security is required

Features

- Maximum portability with built-in handles and four swiveling casters included
- 9U closed-frame design
- 23 in. mounting depth
- Supports a static loading capacity of 1200lbs (544kg)
- Easy-to-assemble with simple four-step installation

Technical Specifications

Warranty	2 Years
Casters	Included
Fan(s)	No
Frame Type	Enclosed Cabinet
Industry Standards	DIN41491 Part I
Industry Standards	EIA RS310-D
Industry Standards	IEC297-2
Key Lock	No
Rack Type	4-Post
Side Panel Type	Solid Steel
U Height	9U
Wallmountable	No
Weight Capacity	1193.4 lb [540 kg]
Color	Black
Enclosure Thickness	0.1 in [2 mm]
Enclosure Type	Steel
Height with Casters	38.1 in [966.7 mm]
Internal Height	32.2 in [817.8 mm]
Internal Width	17.7 in [450 mm]
Product Weight	960.7 oz [27215.5 g]
Shipping (Package) Weight	62.2 lb [28.1 kg]

Certifications, Reports and Compatibility

