Products

What's Hot

ProArt

Commercial

Service

ROG Strix XG17AHP

DisplayPanel Size: Wide Screen 17.3" (43.8cm) 16:9

Color Saturation: 100% sRGB

Panel Type: IPS

True Resolution: 1920x1080

Display Viewing Area(HxV): 381.888 x 214.812 mm

Display Surface: Non-glare Brightness(Max): 300 cd/m² Contrast Ratio (Max): 1000:1 Response Time: 3ms(Gray to Gray)

Flicker free: Yes

Refresh Rate(max): 240Hz

Video Feature Game Plus (modes): Yes (Crosshair/Timer/FPS

Counter/Display Alignment)

Low Blue Light : Yes **HDCP support :** Yes

GameVisual: 8 Modes(Scenery/Racing/Cinema/RTS/RPG/FPS/sRGB

Modes/MOBA Mode/User Mode) **Adaptive-Sync supported :**Yes **GameFast Input technology**

Shadow Boost

Audio Features Stereo Speakers: 1W x 2 Stereo RMS

ESS® Sabre HiFi DAC

I/O PortsSignal Input: USB Type-C x1, Micro HDMI(v2.0) x1

Power ConsumptionPower Consumption(Typical):<10W

Power Saving Mode:0W Power Off Mode:0W Battery Embedded Battery: 7800mAh lithium-polymer battery Battery Life: 3.5 hours @240Hz

Mechanical DesignSlim Design: Yes

Super Narrow Bezel Design: Yes

Dimensions Phys. Dimension (WxHxD):399.09x250.51x9.95mm Phys. Dimension with stand (WxHxD):399.09x(359.3~474.3)x282.75mm Box Dimension(WxHxD):521x362x146 mm

WeightNet Weight(Esti.):1.06kg Net Weight with stand(Esti.):1.76kg Gross Weight(Esti.): 4.5kg

AccessoriesPower adapter
Micro HDMI to HDMI cable
DisplayPort™ over USB-C™ cable (USB-C to USB-C)
USB Type-C to A adapter
Quick start guide
Color pre-calibration report
Carrying Bag
smart case
ROG tripod

Operation Temperature5~35℃

Operation Humidity20-90% RH

OS CompatibilityMicrosoft Windows, Mac OS, Chrome OS, Linux

Compliance and StandardsTUV Flicker-free, TUV Low Blue Light

Note*Auto Rotate requires the Windows OS and DisplayWidget to be installed

**Compatible with Thunderbolt 3

***The battery has a lifespan and ages every time when it is charged and discharged. It will gradually loose its charging capability as it ages

****Adaptive-Sync technology supported (both USB Type-C & HDMI suuports 48Hz-240Hz)



- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

Want More?
Who We Are
Need Help?
Community
Global / English
Privacy Policy Terms of Use Notice ©ASUSTeK Computer Inc. All rights reserved.