

# HPE 240GB SATA 6G Read Intensive SFF (2.5in) SC 3yr Wty Multi Vendor SSD (P18420-B21)

**Drives and Storage** 



### What's new

- HPE 960 GB, 1.92 TB, 3.84 TB, 7.68 TB, 15.36 TB SAS 12G, Read Intensive, SFF (2.5-inch), SC, 3-year Warranty SSDs
- HPE 1.92 TB, 3.84 TB NVMe High Performance Read Intensive, SFF (2.5inch), 3-year Warranty, Universal Connect SSDs

## Overview

Do you need to accelerate the performance of your dataintensive applications?

HPE Read Intensive (RI) Solid State Drives (SSDs) deliver high performance and endurance for applications requiring high random read IOPS performance.

HPE (RI) SSDs are backed by over 3.35 million hours of testing

and qualification [1] ensuring reliable, high performing drives.

HPE Value SAS SSDs offer a significant performance boost over SATA SSDs with roughly twice the IOPS of SATA SSDs, enabling you to improve transactional database workloads with affordable Value SAS SSDs.

HPE Digitally Signed Firmware prevents unauthorized access to your data by providing the assurance that drive firmware comes from a trusted source. Icons on the HPE Smart Carrier take the guesswork out of a drive's status, and a "do not remove" button prevents data loss from human error. You can also monitor the lifespan of your SSD with HPE SmartSSD Wear Gauge, allowing you to determine if any drives are at risk of failure

### Features

# High Performance, Exceptional Reliability, and Efficiency for Faster Business Results

HPE solid state drives are ideal for big data analytics, cloud computing, active archiving, database applications, and data warehousing.

Achieve higher IOPs to enhance the performance of your data center.

Maintain data accuracy with full data-path error detection.

Choose from a broad portfolio of enhanced solutions in a wide variety of capacities.

12 Gb/s SAS, 6 Gb/s SATA, NVMe, M.2, and M.2 Enablement Kits.

#### HPE Value SAS SSDs Offer Twice the IOPS of SATA SSDs, Significantly Improving Workload Performance

HPE Value SAS solid state drives (SSDs) support 12 Gbs, versus SATA SSDs at 6 Gbs.

Optimized for enterprise application workloads, HPE Value SAS SSDs allow you to do more work with fewer servers by improving and consolidating transactional database workloads.

HPE Value SAS SSDs allow you to reduce operating costs for storing, powering and maintaining servers, as well as reducing your data center footprint.

Available in a variety of storage capacities, HPE Value SAS SSDs are the perfect choice for supporting read-intensive and mixed-use applications.

#### HPE Multi Vendor SSDs Offer Longer SKU Lifecycles and Immediate Availability on SATA SSDs

HPE enhanced its extensive SSD portfolio with a Multi Vendor SSD SKU offering that allows for extended SKU lifecycles, immediately available supply and preferably priced SATA SSDs.

HPE Multi Vendor SSD SKU offering ensures the SATA SSD selected, delivers the minimum level of performance published, or better.

# **Technical specifications**

# HPE 240GB SATA 6G Read Intensive SFF (2.5in) SC 3yr Wty Multi Vendor SSD

Product Number (SKU)P18420-B21Lifetime Writes350Endurance DWPD (Drive Writes Per Day)0.8Read IOPS (4KiB, 0=16)=62,500 Max Random Read IOPS (4KiB, 0=16)=62,500 Max Random Read IOPS (4KiB, 0=16)=14,000 Max Random Write IOPS (4KiB, 0=16,000 Max Ran		
Endurance DWPD (Drive Writes Per Day) 0.8   Read IOPS Random Read IOPS (4KiB, 0=1.6)=62,500 Max Random Read IOPS (4KiB)=69,500@032   Write IOPS Random Write IOPS (4KiB)=14,000 Max Random Write IOPS (4KiB)=14,000@01   Power (Watts) 4   Plug Type Hot Pluggable   Height 7mm   Minimum dimensions (H x W x D) 12.7 x 22.86 x 17.78 cm   Weight 05 kg   Warranty 3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit. This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Product Number (SKU)	P18420-B21
Read IOPS Random Read IOPS (4KiB, 0=16)=62,500 Max Random Read IOPS (4KiB, 0=16)=14,000 Max Random Write IOPS (4KiB, 0=16)=14,000 Max Random Write IOPS (4KiB)=14,000@01   Power (Watts) 4   Plug Type Hot Pluggable   Height 7mm   Minimum dimensions (H x W x D) 12.7 x 22.86 x 17.78 cm   Weight 0.5 kg   Warranty 3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Lifetime Writes	350
Max Random Read IOPS (4KiB)=69,500@032     Write IOPS   Random Write IOPS (4KiB)=14,000 Max Random Write IOPS (4KiB)=14,000@01     Power (Watts)   4     Plug Type   Hot Pluggable     Height   7mm     Minimum dimensions (H x W x D)   12.7 x 22.86 x 17.78 cm     Weight   0.5 kg     Warranty   3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit will not be maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Endurance DWPD (Drive Writes Per Day)	0.8
Max Random Write IOPS (4KiB)=14,000@Q1     Power (Watts)   4     Plug Type   Hot Pluggable     Height   7mm     Minimum dimensions (H x W x D)   12.7 x 22.86 x 17.78 cm     Weight   0.5 kg     Warranty   3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit. This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Read IOPS	
Plug Type   Hot Pluggable     Height   7mm     Minimum dimensions (H x W x D)   12.7 x 22.86 x 17.78 cm     Weight   0.5 kg     Warranty   3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Write IOPS	
Height 7mm   Minimum dimensions (H x W x D) 12.7 x 22.86 x 17.78 cm   Weight 0.5 kg   Warranty 3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Power (Watts)	4
Minimum dimensions (H x W x D)   12.7 x 22.86 x 17.78 cm     Weight   0.5 kg     Warranty   3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Plug Type	Hot Pluggable
Weight   0.5 kg     Warranty   3/0/0 warranty Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Height	7mm
Warranty   3/0/0 warranty     Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Minimum dimensions ( H x W x D)	12.7 x 22.86 x 17.78 cm
Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be	Weight	0.5 kg
	Warranty	Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be

For additional technical information, available models and options, please reference the QuickSpecs

### **HPE Pointnext**

**HPE Pointnext** leverages our breadth and depth of technical expertise and innovation to help to accelerate digital transformation. A comprehensive portfolio that includes – Advisory, Professional, and Operational Services is designed to help you evolve and grow today and into the future.

#### **Operational Services**

- **HPE Flexible Capacity** is a new consumption model to manage ondemand capacity, combining the agility and economics of public cloud with the security and performance of on-premises IT.
- HPE Datacenter Care offers a tailored operational support solution built on core deliverables. It includes hardware and software support, a team of experts to help personalise deliverables and share best practices, as well as optional building blocks to address specific IT and business needs.
- **HPE Proactive Care** is an integrated set of hardware and software support including an enhanced call experience with start to finish case management helping resolve incidents quickly and keeping IT reliable and stable.
- **HPE Foundation Care** helps when there is a hardware or software problem offering several response levels dependent on IT and business requirements.

**Advisory Services** includes design, strategy, road map, and other services to help enable the digital transformation journey, tuned to IT and business needs. Advisory Services helps customers on their journey to Hybrid IT, Big Data, and the Intelligent Edge.

**Professional Services** helps integrate the new solution with project management, installation and startup, relocation services, and more. We help mitigate risk to the business so there is no interruption when new technology is being integrated in the existing IT environment.

[1] HPE internal lab testing. 3.35 million hour test quant is derived from a combination of drive qualification test plans, specifically HDDQ spec-supplier responsibility to perform, HDDQ spec-HPE responsibility to perform, Reliability Demonstration Test (RDT) spec, CSI integration test spec and pilot test requirements. Test conducted in May 2017.

Microsoft is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. All other third-party trademark(s) is/are property of their respective owner(s).

Image may differ from the actual product PSN1011920546UKEN. January 20, 2020.

#### Chat online



# f 🍠 in 🛛



<sup>©</sup> Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.